



CLP 3621 | 3626

COLOUR PRINTER

CLP 3621 | 3626 

EXCELLENT PRINT QUALITY DOWN TO THE DOT!

Opt for the new generation of colour printers! The CLP 3621 and CLP 3626 colour printers deliver brilliant output for your presentations, proposals, handouts and creative illustrations – quickly, efficiently and with captivating colour quality thanks to an innovative toner technology that not only ensures a finer resolution but also offers a broader colour spectrum. Consequently these printers have a longer-than-average service life and are highly cost-effective. And to round things off, the CLP 3621 and CLP 3626 can handle various special materials, including paper weights of up to 220 g/m², coated paper or labels!

EXCELLENT AND EASY COLOUR PRINTING.

The compact CLP 3621 and CLP 3626 do not need much space, but they can certainly deliver. With a short waiting time for printing the first page, fast printing at 21 or 26 A4 pages per minute and high duplex productivity, they are extremely efficient and can manage even high-volume jobs in an instant. This is largely owing to 256 MB of memory that can be expanded to 1,280 MB and the option of three additional paper cassettes to offer a total capacity of some 2,150 sheets. And because technology never fails to impress, the CLP 3621 and CLP 3626 feature new, highly effective calibration, a USB direct print functionality, a function for optimising the colour register setting, a user-friendly display and options for adjusting the colour to suit your personal needs. In short: modern printing that is both innovative and economic!





OPTIMALLY SET UP:

- Perfect image quality thanks to especially fine toner
- Top speed of 21 or 26 A4 pages per minute in colour and b/w
- Very short waiting time for the first page in colour: 12 seconds (CLP 3621) or 11.5 seconds (CLP 3626)
- Warm-up time of only 44 seconds (CLP 3621) or 36 seconds (CLP 3626)
- Up to 1,280 MB of memory*
- Sheet capacity expandable to 2,150 sheets*
- Standard duplex unit for double-sided printing
- USB direct print function as standard
- Printing of special materials and paper weights of up to 220 g/m² using up to three additional paper cassettes*

Standard features:

CLP 3621/3626 with 500 sheet universal cassette, duplex unit

- 1** Up to three additional paper cassettes* each with a capacity of 500 sheets, available either as a universal cassette for standard media or as a multi-purpose cassette for special materials
- 2** Cabinet**
- 3** Hard disk* for higher productivity when processing large print runs, use of extensive job memory functions



*option

**option, no illustration

TECHNICAL DATA

GENERAL		CONSUMABLES	
Type	Desktop	Toner kit	CLP 3621: Toner kit black for 7,000 A4 pages according to ISO/IEC 19798, starter kit black for 3,500 A4 pages according to ISO/IEC 19798, Toner kit cyan, magenta, yellow, each for 6,000 A4 pages according to ISO/IEC 19798, starter kit cyan, magenta, yellow, each for 3,000 A4 pages according to ISO/IEC 19798 CLP 3626: Toner kit black for 12,000 A4 pages according to ISO/IEC 19798, starter kit black for 6,000 A4 pages according to ISO/IEC 19798, Toner kit cyan, magenta, yellow, each for 10,000 A4 pages according to ISO/IEC 19798, starter kit cyan, magenta, yellow, each for 5,000 A4 pages according to ISO/IEC 19798
Function	Print	Paper feed	max 3 x PF-500 (500 sheet universal cassette (A4-A5R)) or 3 x PF-510 (500 sheet multi-purpose cassette (A4-A5R) for thick paper (max 220 g/m ²), labels and coated paper)
Print technology	Laser colour and b/w	Other options	HD-5A hard disk (40 GB, only for CLP 3626), cabinet no. 55
Print format	A4-A6R, max 216 x 356 mm, min 70 x 138 mm		
Print speed	CLP 3621: max 21 A4 pages/min in colour and b/w, duplex: max 11 A4 pages/min in colour and b/w CLP 3626: max 26 A4 pages/min in colour and b/w, duplex: max 26 A4 pages/min in colour and b/w		
1st page/warm-up time	CLP 3621: colour: approx. 12 seconds*, b/w: approx. 10.5 seconds* CLP 3626: colour: approx. 11.5 seconds*, b/w: approx. 10 seconds* CLP 3621: approx. 44 seconds, CLP 3626: approx. 36 seconds		
Print resolution	600 x 600 dpi, max 9,600 dpi level x 600 dpi		
Paper feed	1 x 500 sheet universal cassette (A4-A6R), 150 sheet multi-bypass (A4-A6R)		
Paper weights	Universal cassette 60-120 g/m ² , multi-bypass 60-220 g/m ² , duplex 60-120 g/m ²		
Paper output	250 sheet A4		
Processor	CLP 3621: PowerPC440/533 MHz, CLP 3626: PowerPC440/667 MHz		
Print memory	256 MB RAM (max 1,280 MB RAM – 1 slot)		
Interface	USB 2.0, 10/100BaseTX, USB host (for Memory Stick), CF slot		
Network protocols	TCP/IP, IPX/SPX, Net BEUI, EtherTalk		
Operating systems	Windows 2000, XP, Server 2003, Vista, Novell NetWare, Linux, Mac OS 10.X		
Emulations	PCL6, KPDL 3 (PostScript 3 compatible), PRESCRIBE IIc		
Functions	Duplex, barcode printing, private printing, management codes, direct printing from USB host, network data encryption (SSL)		
DIMENSIONS/WEIGHT			
Dimensions	480 x 345 x 518 mm (H x W x D)		
Weight	CLP 3621: approx. 29 kg, CLP 3626: approx. 29.5 kg		
ENVIRONMENT			
Mains voltage	220/240 V, 50/60 Hz		
Power consumption	CLP 3621: approx. 1,065 W max, approx. 420 W in operation, approx. 70 W in stand-by mode, approx. 7 W in sleep mode, 0 W in off mode CLP 3626: approx. 1,071 W max, approx. 477 W in operation, approx. 79 W in stand-by mode, approx. 7 W in sleep mode, 0 W in off mode		
Noise level	approx. 53 dB(A) in operation, approx. 36 dB(A) in stand-by mode (ISO 7779/9296) approx. 66 dB(A) in operation, approx. 46.8 dB(A) in stand-by mode (Blue Angel Mark test method)		
Safety	GS/TÜV, CE		

*Depending on operating status.



The CLP 3621 and the CLP 3626 are manufactured in accordance with the requirements of the ENERGY STAR Program. UTAX recommends the use of original UTAX accessories for trouble-free operation of your system. For recommended print media refer to the user manual.

Specifications subject to change without notice.

Image shows machine with optional accessories.

Your UTAX dealer

www.utax.com

UTAX and the UTAX logo are registered trademarks of UTAX GmbH. All other brand names referred to are registered trade-marks of the respective manufacturers.